

AJ FLOOR

Designed by Arne Jacobsen



Technical specifications

Materials

Base: Die cast zinc. Shade: Spun steel. Stem: Steel.

Finishes

White, Black, Pale Petroleum, Warm Sand, Soft Lemon, Electric Orange, Dusty Blue, Warm Grey, Stainless Steel Polished.

Mounting

9' Cord with plug.


On/off foot switch provided. For mounting instructions, see download section on the product detail page.

AJ FLOOR


Designed by Arne Jacobsen

Light distribution diagrams


CARTESIAN



ISOLUX



POLAR



Variant Options

For particular variant options, please check our online Product Variants Configurator on the product detail page.

VARIANT NO.	LIGHT SOURCE	VOLTAGE/FRQ	LUMEN	FEATURES	CABLE
5744905916	1x10W E26		506	-	White cord
5744905929	1x10W E26		506	-	Black cord
5744906009	1x10W E26		506	-	Black cord
5744909462	1x10W E26		506	-	White cord
5744909475	1x10W E26		506	-	White cord
5744909488	1x10W E26		506	-	White cord
5744909491	1x10W E26		506	-	Black cord
5744909501	1x10W E26		506	-	Black cord
5744915113	1x15W A-19/medium	120V	506	-	Black cord

AJ FLOOR

Designed by Arne Jacobsen


Variants

VARIANT NUMBER	COLOR, RAL	W / H / L (IN) / W (LB)
5744905916	WHT, 024	10.8 / 51.2 / - IN / 7.5 LB
5744905929	BLACK, 314	10.8 / 51.2 / - IN / 7.5 LB
5744906009	PALE PETROLEUM, 447	10.8 / 51.2 / - IN / 7.6 LB
5744909462	ELECTRIC ORANGE	10.8 / 51.2 / - IN / 7.6 LB
5744909475	SOFT LEMON	10.8 / 51.2 / - IN / 7.6 LB
5744909488	WARM SAND	10.8 / 51.2 / - IN / 7.6 LB
5744909491	DUSTY BLUE	10.8 / 51.2 / - IN / 7.6 LB
5744909501	WARM GREY	10.8 / 51.2 / - IN / 7.6 LB
5744915113	STAINL STEEL POLISH, 957	10.8 / 51.2 / - IN / 8.0 LB

AJ FLOOR

1x10W E26 / Black / Black cord / - / - / 5744905929

The fixture emits downward directed light. The angle of the screen can be adjusted approximately 90 degrees up and down to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.



Arne Jacobsen

Arne Jacobsen was born and raised in Copenhagen. In 1927, he graduated as an architect from the Royal Danish Academy of Fine Arts in Copenhagen. After graduating, he obtained his first job at the office of the City Architect of Copenhagen launching his own office only two years later.



Carl Hansen & Son Showroom



Sparekassen Vendsyssel

Product info

Mounting

9' Cord with plug. On/off foot switch provided.

Finish

White, Black, Pale Petroleum, Warm Sand, Soft Lemon, Electric Orange, Dusty Blue, Warm Grey, Stainless Steel Polished.

Materials

Base: Die cast zinc. Shade: Spun steel. Stem: Steel.

Compliance

cULus, Dry location.

Light source

1x10W E26


Related products



AJ 50 Wall



AJ Table



AJ Wall



AJ Mini Table



AJ Royal




AJ Garden Bollard



AJ Oxford Table Lamp




AJ Mini Anniversary Edition




Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product	Variant number
Black foot switch	571700000
White foot switch	571700013

Data specifications


Colour	Black	Length	-
Width	10.8	Height	51.2
Built-in Height	-	IP class	20
Class	II	Net Weight	7.5
Standby (W)	-	Power Factor (P = 100 % / P = 50 %)	-

Inrush Current	-
Kelvin	-
SDCM	-
Watt	15
Light control	-
UGR Transversal / Axial	55.0/49.6
Driver life	-

Light source	
CRI	-
Lumen	506
Efficacy	34
Min. Dim Level (%)	-
L80B50 (hours)	-

AJ FLOOR

The fixture emits downward directed light. The angle of the screen can be adjusted approximately 90 degrees up and down to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.




Arne Jacobsen

Arne Jacobsen was born and raised in Copenhagen. In 1927, he graduated as an architect from the Royal Danish Academy of Fine Arts in Copenhagen. After graduating, he obtained his first job at the office of the City Architect of Copenhagen launching his own office only two years later.



**Carl Hansen &
Son Showroom**



Sparekassen Vendsyssel

Product info

Mounting

9' Cord with plug. On/off foot switch provided.

Finish

White, Black, Pale Petroleum, Warm Sand, Soft Lemon, Electric Orange, Dusty Blue, Warm Grey, Stainless Steel Polished.

Materials

Base: Die cast zinc. Shade: Spun steel. Stem: Steel.

Compliance

cULus, Dry location.

Light source

1x10W E26


Related products




AJ 50 Wall



AJ Table



AJ Wall



AJ Mini Table



AJ Royal




AJ Garden Bollard



AJ Oxford Table Lamp



AJ Mini Anniversary Edition



Product variants

Color	Cable type	Light source	Voltage frequency	Class
<input checked="" type="radio"/> Black	Black cord	1x10W E26	-	-
<input checked="" type="radio"/> Dusty blue	White cord	1x15W A-19/medium	120V	II
<input type="radio"/> Electric orange				
<input type="radio"/> Pale petroleum				
<input type="radio"/> Soft lemon				
<input type="radio"/> Stainless steel polished				
<input type="radio"/> Warm grey				
<input type="radio"/> Warm sand				
<input type="radio"/> White				

Product description

Terse and iconic design
A semi-conical fixture head.
An arm fixed to a round mounting box holds the fixture head.
Fixture head pivots to direct light as needed.
Different colour variants.
Is a member of a product family for both outdoor and indoor

Mounting

Portable fixture plugs into standard wall outlet.

Light description

The fixture emits glare free, directed light.
Combined direct and indirect light ensures directed light with soft shadows
The shade is painted white on the inside to ensure a soft comfortable light distribution.

Design

Arne Jacobsen

Material

Fixture head and wall box: spun steel, 1.5mm (0.06") thick, wet painted.
Arm: extruded steel, 1.5mm (0.06") thick, wet painted.
Base: cast zinc plated steel, 1.5mm (0.06") thick.
Switch: on/off, phenolic, on cord.
Socket: Porcelain, medium base for A-19, frosted envelope lamps.

Weight

Min: 7.524 lbs Max: 7.99 lbs

Finish


Black, Dusty blue, Electric orange, Pale petroleum, Soft lemon, Stainless steel polished, Warm grey, Warm sand, White

Voltage


120V

Light distribution diagrams


Cartesian



Isolux



Polar




Spare parts & accessories

Product	Variant number
Black foot switch	5717000000
White foot switch	5717000013

AJ FLOOR

Designed by Arne Jacobsen



Technical specifications

Materials

Base: Die cast zinc. Shade: Spun steel. Stem: Steel.

Finishes

White, Black, Pale Petroleum, Warm Sand, Soft Lemon, Electric Orange, Dusty Blue, Warm Grey, Stainless Steel Polished.

Mounting

9' Cord with plug.


On/off foot switch provided. For mounting instructions, see download section on the product detail page.

AJ FLOOR


Designed by Arne Jacobsen

Light distribution diagrams


CARTESIAN



ISOLUX



POLAR



Variant Options

For particular variant options, please check our online Product Variants Configurator on the product detail page.

VARIANT NO.	LIGHT SOURCE	VOLTAGE/FRQ	LUMEN	FEATURES	CABLE
5744905916	1x10W E26		506	-	White cord
5744905929	1x10W E26		506	-	Black cord
5744906009	1x10W E26		506	-	Black cord
5744909462	1x10W E26		506	-	White cord
5744909475	1x10W E26		506	-	White cord
5744909488	1x10W E26		506	-	White cord
5744909491	1x10W E26		506	-	Black cord
5744909501	1x10W E26		506	-	Black cord
5744915113	1x15W A-19/medium	120V	506	-	Black cord

AJ FLOOR

Designed by Arne Jacobsen


Variants

VARIANT NUMBER	COLOR, RAL	W / H / L (IN) / W (LB)
5744905916	WHT, 024	10.8 / 51.2 / - IN / 7.5 LB
5744905929	BLACK, 314	10.8 / 51.2 / - IN / 7.5 LB
5744906009	PALE PETROLEUM, 447	10.8 / 51.2 / - IN / 7.6 LB
5744909462	ELECTRIC ORANGE	10.8 / 51.2 / - IN / 7.6 LB
5744909475	SOFT LEMON	10.8 / 51.2 / - IN / 7.6 LB
5744909488	WARM SAND	10.8 / 51.2 / - IN / 7.6 LB
5744909491	DUSTY BLUE	10.8 / 51.2 / - IN / 7.6 LB
5744909501	WARM GREY	10.8 / 51.2 / - IN / 7.6 LB
5744915113	STAINL STEEL POLISH, 957	10.8 / 51.2 / - IN / 8.0 LB

AJ FLOOR

1x10W E26 / Black / Black cord / - / - / 5744905929

The fixture emits downward directed light. The angle of the screen can be adjusted approximately 90 degrees up and down to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.



Arne Jacobsen

Arne Jacobsen was born and raised in Copenhagen. In 1927, he graduated as an architect from the Royal Danish Academy of Fine Arts in Copenhagen. After graduating, he obtained his first job at the office of the City Architect of Copenhagen launching his own office only two years later.



Carl Hansen & Son Showroom



Sparekassen Vendsyssel

Product info

Mounting

9' Cord with plug. On/off foot switch provided.

Finish

White, Black, Pale Petroleum, Warm Sand, Soft Lemon, Electric Orange, Dusty Blue, Warm Grey, Stainless Steel Polished.

Materials

Base: Die cast zinc. Shade: Spun steel. Stem: Steel.

Compliance

cULus, Dry location.

Light source

1x10W E26


Related products




AJ 50 Wall



AJ Table



AJ Wall



AJ Mini Table



AJ Royal




AJ Garden Bollard



AJ Oxford Table Lamp




AJ Mini Anniversary Edition




Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product	Variant number
Black foot switch	571700000
White foot switch	571700013

Data specifications


Colour	Black	Length	-
Width	10.8	Height	51.2
Built-in Height	-	IP class	20
Class	II	Net Weight	7.5
Standby (W)	-	Power Factor (P = 100 % / P = 50 %)	-

Inrush Current	-
Kelvin	-
SDCM	-
Watt	15
Light control	-
UGR Transversal / Axial	55.0/49.6
Driver life	-

Light source	
CRI	-
Lumen	506
Efficacy	34
Min. Dim Level (%)	-
L80B50 (hours)	-

AJ FLOOR

The fixture emits downward directed light. The angle of the screen can be adjusted approximately 90 degrees up and down to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.




Arne Jacobsen

Arne Jacobsen was born and raised in Copenhagen. In 1927, he graduated as an architect from the Royal Danish Academy of Fine Arts in Copenhagen. After graduating, he obtained his first job at the office of the City Architect of Copenhagen launching his own office only two years later.



**Carl Hansen &
Son Showroom**



Sparekassen Vendsyssel

Product info

Mounting

9' Cord with plug. On/off foot switch provided.

Finish

White, Black, Pale Petroleum, Warm Sand, Soft Lemon, Electric Orange, Dusty Blue, Warm Grey, Stainless Steel Polished.

Materials

Base: Die cast zinc. Shade: Spun steel. Stem: Steel.

Compliance

cULus, Dry location.

Light source

1x10W E26


Related products




AJ 50 Wall



AJ Table



AJ Wall



AJ Mini Table



AJ Royal




AJ Garden Bollard



AJ Oxford Table Lamp



AJ Mini Anniversary Edition



Product variants

Color	Cable type	Light source	Voltage frequency	Class
<input checked="" type="radio"/> Black	Black cord	1x10W E26	-	-
<input checked="" type="radio"/> Dusty blue	White cord	1x15W A-19/medium	120V	II
<input type="radio"/> Electric orange				
<input type="radio"/> Pale petroleum				
<input type="radio"/> Soft lemon				
<input type="radio"/> Stainless steel polished				
<input type="radio"/> Warm grey				
<input type="radio"/> Warm sand				
<input type="radio"/> White				

Product description

Terse and iconic design
A semi-conical fixture head.
An arm fixed to a round mounting box holds the fixture head.
Fixture head pivots to direct light as needed.
Different colour variants.
Is a member of a product family for both outdoor and indoor

Mounting

Portable fixture plugs into standard wall outlet.

Light description

The fixture emits glare free, directed light.
Combined direct and indirect light ensures directed light with soft shadows
The shade is painted white on the inside to ensure a soft comfortable light distribution.

Design

Arne Jacobsen

Material

Fixture head and wall box: spun steel, 1.5mm (0.06") thick, wet painted.
Arm: extruded steel, 1.5mm (0.06") thick, wet painted.
Base: cast zinc plated steel, 1.5mm (0.06") thick.
Switch: on/off, phenolic, on cord.
Socket: Porcelain, medium base for A-19, frosted envelope lamps.

Weight

Min: 7.524 lbs Max: 7.99 lbs

Finish


Black, Dusty blue, Electric orange, Pale petroleum, Soft lemon, Stainless steel polished, Warm grey, Warm sand, White

Voltage


120V

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product	Variant number
Black foot switch	5717000000
White foot switch	5717000013