Designed by Arne Jacobsen



Technical specifications

Materials

Base: Die cast zinc. Shade: Spun steel. Stem: Steel.

Finishes

White, Black, Pale Petroleum, Warm Sand, Soft Lemon, Electric Orange, Dusty Blue, Warm Grey, Stainless Steel Polished.

Mounting

Cord with plug.
Cord length: 10'.
On/off switch on the base. For mounting instructions, see download section on the product detail page.


Designed by Arne Jacobsen

Light distribution diagrams


CARTESIAN

Alpha=49.7* 49.7* G=0.0* Beta=63.7* 40.3* [In] Max not at G Max Med flood flo

ISOLUX



POLAR



Variant Options

For particular variant options, please check our online Product Variants Configurator on the product detail page.

VARIANT NO.	LIGHT SOURCE	VOLTAGE/FRQ	LUMEN	FEATURES	CABLE
5744905217	1x15W A-19/medium	120V	506	-	White cord
5744905220	1x15W A-19/medium	120V	506	-	Black cord
5744905301	1x15W A-19/medium	120V	506	-	Black cord
5744909718	1x10W A-19/medium	120V	506	-	White cord
5744909721	1x10W A-19/medium	120V	506	-	White cord
5744909734	1x10W A-19/medium	120V	506	-	White cord
5744909747	1x10W A-19/medium	120V	506	-	Black cord
5744909750	1x10W A-19/medium	120V	506	-	Black cord
5744915061	1x15W A-19/medium	120V	506	-	Black cord

Designed by Arne Jacobsen

Variants

VARIANT NUMBER	COLOR, RAL	W / H / L (IN) / W (LB)
5744905217	WHT, 024	10.8 / 22 / 8.5 IN / 3.9 LB
5744905220	BLACK, 314	10.8 / 22 / 8.5 IN / 3.9 LB
5744905301	PALE PETROLEUM, 447	10.8 / 22 / 8.5 IN / 2.1 LB
5744909718	ELECTRIC ORANGE	10.8 / 22 / 8.5 IN / 2.1 LB
5744909721	SOFT LEMON	10.8 / 22 / 8.5 IN / 2.1 LB
5744909734	WARM SAND	10.8 / 22 / 8.5 IN / 2.1 LB
5744909747	DUSTY BLUE	10.8 / 22 / 8.5 IN / 2.1 LB
5744909750	WARM GREY	10.8 / 22 / 8.5 IN / 2.1 LB
5744915061	STAINL STEEL POLISH, 957	- / 22 / 8.5 IN / 6.9 LB

Project name: / Project type: /

AJ TABLE

1x15W A-19/medium / 120V / Black / Black cord / - / - / 5744905220

The fixture emits downward directed light. The angle of the screen can be adjusted approximately 90 degrees up and down to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.





Arne Jacobsen

Arne Jacobsen was born and raised in Copenhagen. In 1927, he graduated as an architect from the Royal Danish Academy of Fine Arts in Copenhagen. After graduating, he obtained his first job at the office of the City Architect of Copenhagen launching his own office only two years later.



Set location: Alpha Dominche



Set location - The Qvest

louis poulsen

Design to Shape Light

AJ Table

Product info

Mounting

Cord with plug. Cord length: 10'. On/off switch on the base.

Finish

White, Black, Pale Petroleum, Warm Sand, Soft Lemon, Electric Orange, Dusty Blue, Warm Grey, Stainless Steel Polished.

Materials

Base: Die cast zinc. Shade: Spun steel. Stem: Steel.

Sizes and weight

Width x Height x Length (in.) | 10.8 x 22 x 8.5 Max 3.9 lbs

Compliance

cULus, Dry location.

Light source

1x15W A-19/medium

Related products







AJ Floor

AJ 50 Wall

AJ Wall







AJ Mini Table

AJ Royal

AJ Garden Bollard







AJ Oxford Table Lamp


AJ Mini Anniversary Edition

Light distribution diagrams









Polar

Spare parts & accessories

Product	Variant number
AJ UNION NUT ELECT ORANGE	5744170301
AJ UNION NUT SOFT LEMON	5744170314
AJ UNION NUT WARM SAND	5744170327
AJ UNION NUT DUSTY BLUE	5744170330
AJ UNION NUT WARM GREY	5744170343

Data specifications

Colour	Black	Length	8.5
Width	10.8	Height	22
Built-in Height	-	IP class	20
Class	II	Net Weight	3.9

AJ Table

Standby (W)	_
Inrush Current	-
Kelvin	-
SDCM	-
Watt	15
Light control	-
UGR Transversal / Axial	55.0/49.6
Driver life	-

-
506
34
-

The fixture emits downward directed light. The angle of the screen can be adjusted approximately 90 degrees up and down to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.





Arne Jacobsen

Arne Jacobsen was born and raised in Copenhagen. In 1927, he graduated as an architect from the Royal Danish Academy of Fine Arts in Copenhagen. After graduating, he obtained his first job at the office of the City Architect of Copenhagen launching his own office only two years later.



Set location: Alpha Dominche



Set location - The Qvest

Product info

Mounting

Cord with plug. Cord length: 10'. On/off switch on the base.

Finish

White, Black, Pale Petroleum, Warm Sand, Soft Lemon, Electric Orange, Dusty Blue, Warm Grey, Stainless Steel Polished.

Materials

Base: Die cast zinc. Shade: Spun steel. Stem: Steel.

Sizes and weight

Width x Height x Length (in.) | 10.8 x 22 x 8.5 Max 3.9 lbs

Compliance

cULus, Dry location.

Light source

1x10W A-19/medium

Related products







AJ Floor

AJ 50 Wall

AJ Wall







AJ Mini Table

AJ Royal

AJ Garden Bollard





AJ Oxford Table Lamp

AJ Mini Anniversary Edition



Product variants

Color	Cable type	Light source	Voltage frequency	Class
Black	Black cord	1x10W A-19/medium	120V	-
Dusty blue	White cord	1x15W A-19/medium		II
Electric orange				
Pale petroleum				
Soft lemon				
Stainless steel polished				
Warm grey				
Warm sand				
○ White				

Product description

Terse and iconic design
A semi-conical fixture head.
An arm fixed to a round mounting box holds the fixture head.
Fixture head pivots to direct light as needed.
Different colour variants.
Is a member of a product family for both outdoor and indoor.

Mounting

Portable fixture plugs into standard wall outlet.

Light description

The fixture emits glare free, directed light.

Terse and iconic design

Combined direct and indirect light ensures directed light with soft shadows

The shade is painted white on the inside to ensure a soft comfortable light distribution.

Design

Arne Jacobsen

Material

Fixture head and wall box: spun steel, 1. 5mm (0. 06") thick, wet painted. Arm: extruded steel, 1. 5mm (0. 06") thick, wet painted. Base: cast zinc plated steel, 1. 5mm (0. 06") thick. Switch: on/off, phenolic, on base. Socket: Porcelain, medium base for A-19, frosted envelope lamps.

Weight

Min: 2.088 lbs Max: 6.885 lbs


Finish


Voltage


120V

Light distribution diagrams

Cartesian Isolux Polar







Spare parts & accessories

Product	Variant number	
AJ UNION NUT ELECT ORANGE	5744170301	
AJ UNION NUT SOFT LEMON	5744170314	
AJ UNION NUT WARM SAND	5744170327	
AJ UNION NUT DUSTY BLUE	5744170330	
AJ UNION NUT WARM GREY	5744170343	