## Lámina 165 Antoni Arola. 2018

Pendant Lamp













A line of light and a thin metal sheet create a soft and effective diffusion. Lámina exploits the virtues of reflected light with simple, clean lines in varying shades and sizes, laid bare and fully exposed.

This pendant lamp fascinates the eye with the elegance of its curve and soothing light. In 1907, painter Mariano Fortuny Madrazo prolifically used reflective lighting, which he deemed essential to achieve the right colour, with his iconic homonymous lamp.

#### **General description:**

White grey metallic shade with glossy finish (exterior). Black metal structure with matte finish. Polycarbonate diffuser. Electric cable length: 5 m / 196.9"

# Approximate weight (unpacked):

(E) Lámina 165: 3,8 Kg / 8.4 lb

# **Technical information:**

Light source included (dimmable). LED module

Rated input wattage: 54 W Operating current: 1400 mA

CCT: 2.700K CRI: 90

Lifetime: 40.000 h Luminous flux: 1.979 Im

# Built-in LED.

European version: suitable for dimming 0-10V / DALI. Not included external dimmer switch 0-10V / DALI. American version: suitable for dimming 1-10V. Not included external dimmer switch 1-10V.


Suitable only for indoor use. Always use this light source.

Input voltage: 100 ~ 277 Vac.

(50 Hz / 60 Hz). According to destination.



C Halfplar



#### Lámina 165

Antoni Arola. 2018 Pendant Lamp



## Regulations:

European version UNE-EN 60598 UNE-EN 55015 UNE-EN 60529

American version UL-1598 UL-8750 E-336377 Dry location only


#### Maintenance:

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

## Others:


The lamp is delivered in one package.
The assembly instructions are delivered with the product.

### Model (European version):



 $\epsilon$ 

### Model (American version):







# **Collection:**

Table lamps







Lámina 45

Floor lamps



Lámina 165

## Pendant lamps



Lámina 45 / 85



Lámina 165



Lámina Mayor

# Wall lamps



Lámina 45



Lámina 165

### Lámina 165

Antoni Arola. 2023 Wall Lamp













Lamina's use offers a comfortable ambient light for multiple uses.

White and concave lampshades opens upnew depths of space both vertically and horizontally.

#### General description:

White grey metallic shade with glossy finish (exterior).

Black metal structure with matte finish.

Polycarbonate diffuser.

### Approximate weight (unpacked):

2,8 Kg / 6.2 lb

# **Technical information:**

Light source included (dimmable). Built-In LED

Rated input wattage: 37 W Operating current: 1.000 mA CCT: 2.700K CRI: 90

Lifetime: 40.000 h Luminous flux: 1.484 lm

Built-in LED

European version: suitable for dimming 0-10V / DALI. Not included external dimmer switch 0-10V / DALI.

American version: suitable for dimming 1-10V. Not included external dimmer switch 1-10V.


Suitable only for indoor use. Always use this light source.

Input voltage: 110 ~ 277 Vac.

(50 Hz / 60 Hz). According to destination.



European version UNE-EN 60598 UNE-EN 55015 UNE-EN 60529 American version UL-1598 UL-8750 E-336377 Dry location only



#### Lámina 165

Antoni Arola. 2023 Floor Lamp













A line of light and a thin metal sheet create a faint yet effective diffusion.

Lámina was born in a flash as a family of pendant lamps, with an exceptional lightness that knows how to be smart. It now stands as light sculptures that contrast with any wall finish on its back.

White and concave lampshades are available in two different sizes.

The larger, a long narrow arc of 165 cm, opens up new depths of space both vertically and horizontally.

# General description:

White grey metallic shade with glossy finish (exterior).

Black metal structure with matte finish.

Polycarbonate diffuser.

Dimmer and switch incorporated into the luminaire.

Electric cable length: 2,5 m / 98.4"

### Approximate weight (unpacked):

5,8 Kg / 12.7 lb

# **Technical information:**

Light source included (dimmable) LED strip

Rated input wattage: 37 W Operating current: 1000 mA

CCT: 2700K CRI: 90

Lifetime: 40.000 h Luminous flux: 1.484 lm

Built-in LED.


Suitable only for indoor use. Always use this light source.

Input voltage: 110 ~ 277 Vac.

(50 Hz / 60 Hz). According to destination.



C Halfplanes



### **Regulations:**

European version UNE-EN 60598 UNE-EN 55015 UNE-EN 60529 American version UL-1598 UL-8750 E-363621 Dry location only



#### Maintenance:


Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

#### Others:

The lamp is delivered in one package.

The assembly instructions are delivered with the product.

#### Model:



# **Collection:**

Table lamps



Lámina 45

Floor lamps



Lámina 45



Lámina 165

# Pendant lamps



Lámina 45 / 85



Lámina 165



Lámina Mayor

# Wall lamps



Lámina 45



Lámina 165




#### Maintenance:

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

#### Others:

The lamp is delivered in one package.

The assembly instructions are delivered with the product.



### **Collection:**

Table lamps



Lámina 45



Lámina 45

Floor lamps



Lámina 165

## Pendant lamps



Lámina 45 / 85



Lámina 165



Lámina Mayor

# Wall lamps



Lámina 45



Lámina 165