PANTHELLA 160 PORTABLE

Designed by Verner Panton



Technical specifications

Materials

Shade: Deep-drawn steel or injection-molded opal acrylic. Base and housing: Die-cast aluminum.

Finishes

Opal acrylic shade in White, Pale Rose, and Pale Blue with matching stand.

Grey Opal Acrylic shade with high lustre chrome stand. Pale Rose, Pale Blue or Coral, powder coated.

Mounting

USB-C cable or Qi base for standard USB-C-A adapter. Light control: Switch on base. Battery lifetime: 5 hours @ 100%. Step-dim: 0%/10%/33%/100% For mounting instructions, see download section on the product detail page.

Information


Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers. For the E-socket product variants, bulbs are not included. LED light source is part of the product.

PANTHELLA 160 PORTABLE


Designed by Verner Panton

Light distribution diagrams


CARTESIAN



ISOLUX



POLAR



Variant Options

For particular variant options, please check our online Product Variants Configurator on the product detail page.

VARIANT NO.	LIGHT SOURCE	VOLTAGE/FRQ	LUMEN	FEATURES	CABLE
5744162924	LED 2700K 2.5W		81	-	Without cord
5744166768	LED 2700K 2.5W		81	-	Without cord
5744168070	LED 2700K 2.5W		81	-	Without cord
5744170495	LED 2700K 2.5W			-	Without cord
5744612571	LED 2700K 2.5W		81	-	Without cord
5744612584	LED 2700K 2.5W		81	-	Without cord
5744612607	LED 2700K 2.5W		81	-	Without cord
5744612610	LED 2700K 2.5W		81	-	Without cord
5744612623	LED 2700K 2.5W		81	-	Without cord
5744612830	LED 2700K 2.5W			-	Without cord

PANTHELLA 160 PORTABLE

Designed by Verner Panton

Variants

VARIANT NUMBER	COLOR, RAL	W / H / L (IN) / W (LB)
5744162924	PALE ROSE	6.3 / 9.4 / 6.3 IN / 0.9 LB
5744166768	WHT OPAL ACRYL, 970	6.3 / 9.4 / 6.3 IN / 0.9 LB
5744168070	GREY OPAL ACRYL	6.3 / 9.4 / 6.3 IN / 0.9 LB
5744170495	PALE BLUE OPAL ACRYL	-/-/-IN/0.9 LB
5744612571	BLK, 708	-/-/-IN/0.9 LB
5744612584	ORANGE, 269	6.3 / 9.4 / 6.3 IN / 0.9 LB
5744612607	WHT, 011	-/-/-IN/0.9 LB
5744612610	PALE BLUE	6.3 / 9.4 / 6.3 IN / 0.9 LB
5744612623	CORAL	6.3 / 9.4 / 6.3 IN / 0.9 LB
5744612830	PALE ROSE OPAL ACRYL	-/-/-IN/0.9 LB

PANTHELLA 160 PORTABLE

LED 2700K 2.5W / Pale rose / Without cord / - / - / 5744162924

This portable table lamp emits a glare-free, soft, and comfortable light. The metal shade variants reflects the light downwards and provides pleasant illumination created by the inner white painted shade and the reflection from the trumpet-shaped stem. The opal acrylic variants provides gentle illumination and subtle ambience due to the transparency and the reflection of the downward light on the inner side of the shade.





Verner Panton





Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Mounting

USB-C cable or Qi base for standard USB-C-A adapter. Light control: Switch on base. Battery lifetime: 5 hours @ 100%. Step-dim: 0%/10%/33%/100%

Finish

Opal acrylic shade in White, Pale Rose, and Pale Blue with matching stand. Grey Opal Acrylic shade with high lustre chrome stand. Pale Rose, Pale Blue or Coral, powder coated.

Materials

Shade: Deep-drawn steel or injection-molded opal acrylic. Base and housing: Die-cast aluminum.

Sizes and weight

Width x Height x Length (in.) | $6.3 \times 9.4 \times 6.3 \text{ Max } 0.9 \text{ lbs}$

Compliance

cULus, Damp location.

Light source

LED 2700K 2.5W Lumen: 81

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Related products



Panthella Floor

Panthella 400 Table Lamp

Panthella 250 Table Lamp







Panthella 320 Table Lamp


PH 2/1 Portable

Panthella 160 Portable Anniversary Edition

Ø 6.3"

Ø 6.3"

Light distribution diagrams



Spare parts & accessories

Product	Variant number
Panthella 160 USB adaptor, white	5744166674
Panthella Portable USB portable cover	5744166690
Panthella 160 V1 Rep. Kit LED w/wire	5744166713
Panthella 160 V1 replacement kit print V1	5744166726
Panthella 160 V2 Rep. Kit Print	5744166739
Panthella 160 White Opal shade	5744166742
Panthella 160 top nut	5744166755
Panthella 160 diffuser w/screws	5744168083
Panthella 160 Grey/Blue Opal shade	5744168096
Panthella 160 USB cover, black	5744168407
Black USB adaptor	5744168410
Panthella 160 Pale Blue shade	5744612665
Panthella 160 Coral shade	5744612678
Panthella 160 V2 Rubber Pad w/screws	5744612762
Panthella 160 Pale Rose shade	5744902090
Panthella 160 V2 Rep. Kit LED	5744168106
Panthella 160 Portable V2 Batt. Rep. Kit	5744620039
Panthella 160 V1 Portable V1 Batt. Rep. Kit	5744620042
Panthella 160 Pale Rose Opal shade	5744613046
Panthella 160 Portable Brass Metallised top nut	5744171274

Data specifications

Colour	Pale rose	Length	6.3
Width	6.3	Height	9.4
Built-in Height	-	IP class	44
Class	-	Net Weight	0.9
Standby (W)	-	Power Factor (P = 100 % / P = 5	50 %) -
Inrush Current	-	Light source	LED 2700K 2.5W
Kelvin	2700	CRI	90
SDCM	3	Lumen	81
Watt	2.5	Efficacy	32
Light control	-	Min. Dim Level (%)	33
UGR Transversal / Axial	11.8/11.8	L80B50 (hours)	>35.000

PANTHELLA 160 PORTABLE

LED 2700K 2.5W / Pale rose / Without cord / - / - / 5744162924

This portable table lamp emits a glare-free, soft, and comfortable light. The metal shade variants reflects the light downwards and provides pleasant illumination created by the inner white painted shade and the reflection from the trumpet-shaped stem. The opal acrylic variants provides gentle illumination and subtle ambience due to the transparency and the reflection of the downward light on the inner side of the shade.





Verner Panton





Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Mounting

USB-C cable or Qi base for standard USB-C-A adapter. Light control: Switch on base. Battery lifetime: 5 hours @ 100%. Step-dim: 0%/10%/33%/100%

Finish

Opal acrylic shade in White, Pale Rose, and Pale Blue with matching stand. Grey Opal Acrylic shade with high lustre chrome stand. Pale Rose, Pale Blue or Coral, powder coated.

Materials

Shade: Deep-drawn steel or injection-molded opal acrylic. Base and housing: Die-cast aluminum.

Sizes and weight

Width x Height x Length (in.) | $6.3 \times 9.4 \times 6.3 \text{ Max } 0.9 \text{ lbs}$

Compliance

cULus, Damp location.

Light source

LED 2700K 2.5W Lumen: 81

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Related products



Panthella Floor

Panthella 400 Table Lamp

Panthella 250 Table Lamp







Panthella 320 Table Lamp


PH 2/1 Portable

Panthella 160 Portable Anniversary Edition

Ø 6.3"

Ø 6.3"

Light distribution diagrams



Spare parts & accessories

Product	Variant number
Panthella 160 USB adaptor, white	5744166674
Panthella Portable USB portable cover	5744166690
Panthella 160 V1 Rep. Kit LED w/wire	5744166713
Panthella 160 V1 replacement kit print V1	5744166726
Panthella 160 V2 Rep. Kit Print	5744166739
Panthella 160 White Opal shade	5744166742
Panthella 160 top nut	5744166755
Panthella 160 diffuser w/screws	5744168083
Panthella 160 Grey/Blue Opal shade	5744168096
Panthella 160 USB cover, black	5744168407
Black USB adaptor	5744168410
Panthella 160 Pale Blue shade	5744612665
Panthella 160 Coral shade	5744612678
Panthella 160 V2 Rubber Pad w/screws	5744612762
Panthella 160 Pale Rose shade	5744902090
Panthella 160 V2 Rep. Kit LED	5744168106
Panthella 160 Portable V2 Batt. Rep. Kit	5744620039
Panthella 160 V1 Portable V1 Batt. Rep. Kit	5744620042
Panthella 160 Pale Rose Opal shade	5744613046
Panthella 160 Portable Brass Metallised top nut	5744171274

Data specifications

Colour	Pale rose	Length	6.3
Width	6.3	Height	9.4
Built-in Height	-	IP class	44
Class	-	Net Weight	0.9
Standby (W)	-	Power Factor (P = 100 % / P = 5	50 %) -
Inrush Current	-	Light source	LED 2700K 2.5W
Kelvin	2700	CRI	90
SDCM	3	Lumen	81
Watt	2.5	Efficacy	32
Light control	-	Min. Dim Level (%)	33
UGR Transversal / Axial	11.8/11.8	L80B50 (hours)	>35.000

PANTHELLA 160 PORTABLE

LED 2700K 2.5W / White opal acryl / Without cord / - / - / 5744166768

This portable table lamp emits a glare-free, soft, and comfortable light. The metal shade variants reflects the light downwards and provides pleasant illumination created by the inner white painted shade and the reflection from the trumpet-shaped stem. The opal acrylic variants provides gentle illumination and subtle ambience due to the transparency and the reflection of the downward light on the inner side of the shade.





Verner Panton





Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Mounting

USB-C cable or Qi base for standard USB-C-A adapter. Light control: Switch on base. Battery lifetime: 5 hours @ 100%. Step-dim: 0%/10%/33%/100%

Finish

Opal acrylic shade in White, Pale Rose, and Pale Blue with matching stand. Grey Opal Acrylic shade with high lustre chrome stand. Pale Rose, Pale Blue or Coral, powder coated.

Materials

Shade: Deep-drawn steel or injection-molded opal acrylic. Base and housing: Die-cast aluminum.

Sizes and weight

Width x Height x Length (in.) | $6.3 \times 9.4 \times 6.3 \text{ Max } 0.9 \text{ lbs}$

Compliance

cULus, Damp location.

Light source

LED 2700K 2.5W Lumen: 81

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Related products



Panthella Floor



Panthella 400 Table Lamp



Panthella 250 Table Lamp



Panthella 320 Table Lamp




PH 2/1 Portable



Panthella 160 Portable Anniversary Edition



Light distribution diagrams



Spare parts & accessories

Product	Variant number
Panthella 160 USB adaptor, white	5744166674
Panthella Portable USB portable cover	5744166690
Panthella 160 V1 Rep. Kit LED w/wire	5744166713
Panthella 160 V1 replacement kit print V1	5744166726
Panthella 160 V2 Rep. Kit Print	5744166739
Panthella 160 White Opal shade	5744166742
Panthella 160 top nut	5744166755
Panthella 160 diffuser w/screws	5744168083
Panthella 160 Grey/Blue Opal shade	5744168096
Panthella 160 USB cover, black	5744168407
Black USB adaptor	5744168410
Panthella 160 Pale Blue shade	5744612665
Panthella 160 Coral shade	5744612678
Panthella 160 V2 Rubber Pad w/screws	5744612762
Panthella 160 Pale Rose shade	5744902090
Panthella 160 V2 Rep. Kit LED	5744168106
Panthella 160 Portable V2 Batt. Rep. Kit	5744620039
Panthella 160 V1 Portable V1 Batt. Rep. Kit	5744620042
Panthella 160 Pale Rose Opal shade	5744613046
Panthella 160 Portable Brass Metallised top nut	5744171274

Data specifications

Colour	White opal acryl	Length	6.3
Width	6.3	Height	9.4
Built-in Height	-	IP class	44
Class	-	Net Weight	0.9
Standby (W)	-	Power Factor (P = 100 % / P =	50 %) -
Inrush Current	-	Light source	LED 2700K 2.5W
Kelvin	2700	CRI	90
SDCM	3	Lumen	81
Watt	2.5	Efficacy	32
Light control	-	Min. Dim Level (%)	33
UGR Transversal / Axial	11.8/11.8	L80B50 (hours)	>35.000

PANTHELLA 160 PORTABLE

LED 2700K 2.5W / Grey opal acryl / Without cord / - / - / 5744168070


This portable table lamp emits a glare-free, soft, and comfortable light. The metal shade variants reflects the light downwards and provides pleasant illumination created by the inner white painted shade and the reflection from the trumpet-shaped stem. The opal acrylic variants provides gentle illumination and subtle ambience due to the transparency and the reflection of the downward light on the inner side of the shade.





Verner Panton





Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Mounting

USB-C cable or Qi base for standard USB-C-A adapter. Light control: Switch on base. Battery lifetime: 5 hours @ 100%. Step-dim: 0%/10%/33%/100%

Finish

Opal acrylic shade in White, Pale Rose, and Pale Blue with matching stand. Grey Opal Acrylic shade with high lustre chrome stand. Pale Rose, Pale Blue or Coral, powder coated.

Materials

Shade: Deep-drawn steel or injection-molded opal acrylic. Base and housing: Die-cast aluminum.

Sizes and weight

Width x Height x Length (in.) | $6.3 \times 9.4 \times 6.3 \text{ Max } 0.9 \text{ lbs}$

Compliance

cULus, Damp location.

Light source

LED 2700K 2.5W Lumen: 81

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Related products







Panthella Floor

Panthella 400 Table Lamp

Panthella 250 Table Lamp







Panthella 320 Table Lamp


PH 2/1 Portable

Panthella 160 Portable Anniversary Edition

Ø 6.3"

Ø 4.2"

Light distribution diagrams



Spare parts & accessories

Product	Variant number
Panthella 160 USB adaptor, white	5744166674
Panthella Portable USB portable cover	5744166690
Panthella 160 V1 Rep. Kit LED w/wire	5744166713
Panthella 160 V1 replacement kit print V1	5744166726
Panthella 160 V2 Rep. Kit Print	5744166739
Panthella 160 White Opal shade	5744166742
Panthella 160 top nut	5744166755
Panthella 160 diffuser w/screws	5744168083
Panthella 160 Grey/Blue Opal shade	5744168096
Panthella 160 USB cover, black	5744168407
Black USB adaptor	5744168410
Panthella 160 Pale Blue shade	5744612665
Panthella 160 Coral shade	5744612678
Panthella 160 V2 Rubber Pad w/screws	5744612762
Panthella 160 Pale Rose shade	5744902090
Panthella 160 V2 Rep. Kit LED	5744168106
Panthella 160 Portable V2 Batt. Rep. Kit	5744620039
Panthella 160 V1 Portable V1 Batt. Rep. Kit	5744620042
Panthella 160 Pale Rose Opal shade	5744613046
Panthella 160 Portable Brass Metallised top nut	5744171274

Data specifications

Colour	Grey opal acryl	Length	6.3
Width	6.3	Height	9.4
Built-in Height	-	IP class	44
Class	-	Net Weight	0.9
Standby (W)	<u>-</u>	Power Factor (P = 100 % / P =	50 %) -
Inrush Current	-	Light source	LED 2700K 2.5W
Kelvin	2700	CRI	90
SDCM	3	Lumen	81
Watt	2.5	Efficacy	32
Light control	-	Min. Dim Level (%)	33
UGR Transversal / Axial	11.8/11.8	L80B50 (hours)	>35.000

PANTHELLA 160 PORTABLE

LED 2700K 2.5W / Pale blue opal acryl / Without cord / - / - / 5744170495


This portable table lamp emits a glare-free, soft, and comfortable light. The metal shade variants reflects the light downwards and provides pleasant illumination created by the inner white painted shade and the reflection from the trumpet-shaped stem. The opal acrylic variants provides gentle illumination and subtle ambience due to the transparency and the reflection of the downward light on the inner side of the shade.





Verner Panton





Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Mounting

USB-C cable or Qi base for standard USB-C-A adapter. Light control: Switch on base. Battery lifetime: 5 hours @ 100%. Step-dim: 0%/10%/33%/100%

Finish

Opal acrylic shade in White, Pale Rose, and Pale Blue with matching stand. Grey Opal Acrylic shade with high lustre chrome stand. Pale Rose, Pale Blue or Coral, powder coated.

Materials

Shade: Deep-drawn steel or injection-molded opal acrylic. Base and housing: Die-cast aluminum.

Sizes and weight

Width x Height x Length (in.) | $6.3 \times 9.4 \times 6.3 \text{ Max } 0.9 \text{ lbs}$

Compliance

cULus, Damp location.

Light source

LED 2700K 2.5W

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Related products





Panthella Floor

Panthella 400 Table Lamp

Panthella 250 Table Lamp







Panthella 320 Table Lamp

PH 2/1 Portable

Panthella 160 Portable Anniversary Edition

Ø 6.3"

Ø 6.3"

Ø 6.2"

Spare parts & accessories

Product	Variant number
Panthella 160 USB adaptor, white	5744166674
Panthella Portable USB portable cover	5744166690
Panthella 160 V1 Rep. Kit LED w/wire	5744166713
Panthella 160 V1 replacement kit print V1	5744166726
Panthella 160 V2 Rep. Kit Print	5744166739
Panthella 160 White Opal shade	5744166742
Panthella 160 top nut	5744166755
Panthella 160 diffuser w/screws	5744168083
Panthella 160 Grey/Blue Opal shade	5744168096
Panthella 160 USB cover, black	5744168407
Black USB adaptor	5744168410
Panthella 160 Pale Blue shade	5744612665
Panthella 160 Coral shade	5744612678
Panthella 160 V2 Rubber Pad w/screws	5744612762
Panthella 160 Pale Rose shade	5744902090
Panthella 160 V2 Rep. Kit LED	5744168106
Panthella 160 Portable V2 Batt. Rep. Kit	5744620039
Panthella 160 V1 Portable V1 Batt. Rep. Kit	5744620042
Panthella 160 Pale Rose Opal shade	5744613046
Panthella 160 Portable Brass Metallised top nut	5744171274

Data specifications

Colour	Pale blue opal acryl	Length	-
Width	-	Height	-
Built-in Height	-	IP class	-
Class	-	Net Weight	0.9
Standby (W)	-	Power Factor (P = 100 % / P = 50 %)	-
Inrush Current	-	Light source	LED 2700K 2.5W
Kelvin	2700	CRI	-

SDCM	-
Watt	2.5
Light control	-
UGR Transversal / Axial	-
Driver life	-

Lumen	-
Efficacy	-
Min. Dim Level (%)	-
L80B50 (hours)	-

PANTHELLA 160 PORTABLE

LED 2700K 2.5W / Black / Without cord / - / - / 5744612571


This portable table lamp emits a glare-free, soft, and comfortable light. The metal shade variants reflects the light downwards and provides pleasant illumination created by the inner white painted shade and the reflection from the trumpet-shaped stem. The opal acrylic variants provides gentle illumination and subtle ambience due to the transparency and the reflection of the downward light on the inner side of the shade.





Verner Panton





Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Mounting

USB-C cable or Qi base for standard USB-C-A adapter. Light control: Switch on base. Battery lifetime: 5 hours @ 100%. Step-dim: 0%/10%/33%/100%

Finish

Opal acrylic shade in White, Pale Rose, and Pale Blue with matching stand. Grey Opal Acrylic shade with high lustre chrome stand. Pale Rose, Pale Blue or Coral, powder coated.

Materials

Shade: Deep-drawn steel or injection-molded opal acrylic. Base and housing: Die-cast aluminum.

Sizes and weight

Width x Height x Length (in.) | $6.3 \times 9.4 \times 6.3 \text{ Max } 0.9 \text{ lbs}$

Compliance

cULus, Damp location.

Light source

LED 2700K 2.5W Lumen: 81

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Related products





Panthella Floor

Panthella 400 Table Lamp

Panthella 250 Table Lamp








Panthella 320 Table Lamp

PH 2/1 Portable

Panthella 160 Portable Anniversary Edition



Light distribution diagrams



Spare parts & accessories

Product	Variant number
Panthella 160 USB adaptor, white	5744166674
Panthella Portable USB portable cover	5744166690
Panthella 160 V1 Rep. Kit LED w/wire	5744166713
Panthella 160 V1 replacement kit print V1	5744166726
Panthella 160 V2 Rep. Kit Print	5744166739
Panthella 160 White Opal shade	5744166742
Panthella 160 top nut	5744166755
Panthella 160 diffuser w/screws	5744168083
Panthella 160 Grey/Blue Opal shade	5744168096
Panthella 160 USB cover, black	5744168407
Black USB adaptor	5744168410
Panthella 160 Pale Blue shade	5744612665
Panthella 160 Coral shade	5744612678
Panthella 160 V2 Rubber Pad w/screws	5744612762
Panthella 160 Pale Rose shade	5744902090
Panthella 160 V2 Rep. Kit LED	5744168106
Panthella 160 Portable V2 Batt. Rep. Kit	5744620039
Panthella 160 V1 Portable V1 Batt. Rep. Kit	5744620042
Panthella 160 Pale Rose Opal shade	5744613046
Panthella 160 Portable Brass Metallised top nut	5744171274

Data specifications

Colour	Black	Length	-
Width	-	Height	-
Built-in Height	-	IP class	44
Class	-	Net Weight	0.9
Standby (W)	-	Power Factor (P = 100 % / P = 50 %)	
Inrush Current	-	Light source	LED 2700K 2.5W
Kelvin	2700	CRI	90
SDCM	3	Lumen	81
Watt	2.5	Efficacy	32
Light control	-	Min. Dim Level (%)	33
UGR Transversal / Axial 1	1.8/11.8	L80B50 (hours)	

PANTHELLA 160 PORTABLE

LED 2700K 2.5W / Orange / Without cord / - / - / 5744612584

This portable table lamp emits a glare-free, soft, and comfortable light. The metal shade variants reflects the light downwards and provides pleasant illumination created by the inner white painted shade and the reflection from the trumpet-shaped stem. The opal acrylic variants provides gentle illumination and subtle ambience due to the transparency and the reflection of the downward light on the inner side of the shade.





Verner Panton





Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Mounting

USB-C cable or Qi base for standard USB-C-A adapter. Light control: Switch on base. Battery lifetime: 5 hours @ 100%. Step-dim: 0%/10%/33%/100%

Finish

Opal acrylic shade in White, Pale Rose, and Pale Blue with matching stand. Grey Opal Acrylic shade with high lustre chrome stand. Pale Rose, Pale Blue or Coral, powder coated.

Materials

Shade: Deep-drawn steel or injection-molded opal acrylic. Base and housing: Die-cast aluminum.

Sizes and weight

Width x Height x Length (in.) | $6.3 \times 9.4 \times 6.3 \text{ Max } 0.9 \text{ lbs}$

Compliance

cULus, Damp location.

Light source

LED 2700K 2.5W Lumen: 81

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless

Related products



Panthella Floor



Panthella 400 Table Lamp



Panthella 250 Table Lamp








PH 2/1 Portable



Panthella 160 Portable Anniversary Edition



Light distribution diagrams



Spare parts & accessories

Product	Variant number
Panthella 160 USB adaptor, white	5744166674
Panthella Portable USB portable cover	5744166690
Panthella 160 V1 Rep. Kit LED w/wire	5744166713
Panthella 160 V1 replacement kit print V1	5744166726
Panthella 160 V2 Rep. Kit Print	5744166739
Panthella 160 White Opal shade	5744166742
Panthella 160 top nut	5744166755
Panthella 160 diffuser w/screws	5744168083
Panthella 160 Grey/Blue Opal shade	5744168096
Panthella 160 USB cover, black	5744168407
Black USB adaptor	5744168410
Panthella 160 Pale Blue shade	5744612665
Panthella 160 Coral shade	5744612678
Panthella 160 V2 Rubber Pad w/screws	5744612762
Panthella 160 Pale Rose shade	5744902090
Panthella 160 V2 Rep. Kit LED	5744168106
Panthella 160 Portable V2 Batt. Rep. Kit	5744620039
Panthella 160 V1 Portable V1 Batt. Rep. Kit	5744620042
Panthella 160 Pale Rose Opal shade	5744613046
Panthella 160 Portable Brass Metallised top nut	5744171274

Data specifications

Colour	Orange	Length	6.3
Width	6.3	Height	9.4
Built-in Height	-	IP class	44
Class	-	Net Weight	0.9
Standby (W)	-	Power Factor (P = 100 % / P = 50 %)	
Inrush Current	-	Light source	LED 2700K 2.5W
Kelvin	2700	CRI	90
SDCM	3	Lumen	81
Watt	2.5	Efficacy	32
Light control	-	Min. Dim Level (%)	33
UGR Transversal / Axial	11.8/11.8	L80B50 (hours)	>35.000

PANTHELLA 160 PORTABLE

LED 2700K 2.5W / White / Without cord / - / - / 5744612607

This portable table lamp emits a glare-free, soft, and comfortable light. The metal shade variants reflects the light downwards and provides pleasant illumination created by the inner white painted shade and the reflection from the trumpet-shaped stem. The opal acrylic variants provides gentle illumination and subtle ambience due to the transparency and the reflection of the downward light on the inner side of the shade.





Verner Panton





Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Mounting

USB-C cable or Qi base for standard USB-C-A adapter. Light control: Switch on base. Battery lifetime: 5 hours @ 100%. Step-dim: 0%/10%/33%/100%

Finish

Opal acrylic shade in White, Pale Rose, and Pale Blue with matching stand. Grey Opal Acrylic shade with high lustre chrome stand. Pale Rose, Pale Blue or Coral, powder coated.

Materials

Shade: Deep-drawn steel or injection-molded opal acrylic. Base and housing: Die-cast aluminum.

Sizes and weight

Width x Height x Length (in.) | $6.3 \times 9.4 \times 6.3 \text{ Max } 0.9 \text{ lbs}$

Compliance

cULus, Damp location.

Light source

LED 2700K 2.5W Lumen: 81

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Related products





Panthella Floor

Panthella 400 Table Lamp

Panthella 250 Table Lamp








Panthella 320 Table Lamp

PH 2/1 Portable

Panthella 160 Portable Anniversary Edition

Ø 6.3"

Light distribution diagrams



Spare parts & accessories

Product	Variant number
Panthella 160 USB adaptor, white	5744166674
Panthella Portable USB portable cover	5744166690
Panthella 160 V1 Rep. Kit LED w/wire	5744166713
Panthella 160 V1 replacement kit print V1	5744166726
Panthella 160 V2 Rep. Kit Print	5744166739
Panthella 160 White Opal shade	5744166742
Panthella 160 top nut	5744166755
Panthella 160 diffuser w/screws	5744168083
Panthella 160 Grey/Blue Opal shade	5744168096
Panthella 160 USB cover, black	5744168407
Black USB adaptor	5744168410
Panthella 160 Pale Blue shade	5744612665
Panthella 160 Coral shade	5744612678
Panthella 160 V2 Rubber Pad w/screws	5744612762
Panthella 160 Pale Rose shade	5744902090
Panthella 160 V2 Rep. Kit LED	5744168106
Panthella 160 Portable V2 Batt. Rep. Kit	5744620039
Panthella 160 V1 Portable V1 Batt. Rep. Kit	5744620042
Panthella 160 Pale Rose Opal shade	5744613046
Panthella 160 Portable Brass Metallised top nut	5744171274


Data specifications

Colour	White	Length -	
Width	-	Height	-
Built-in Height	-	IP class	44
Class	-	Net Weight	0.9
Standby (W)	-	Power Factor (P = 100 % / P = 50 %)	
Inrush Current	-	Light source	LED 2700K 2.5W
Kelvin	2700	CRI	90
SDCM	3	Lumen	81
Watt	2.5	Efficacy	32
Light control	-	Min. Dim Level (%)	33
UGR Transversal / Axial	11.8/11.8	L80B50 (hours)	-

PANTHELLA 160 PORTABLE

LED 2700K 2.5W / Pale blue / Without cord / - / - / 5744612610

This portable table lamp emits a glare-free, soft, and comfortable light. The metal shade variants reflects the light downwards and provides pleasant illumination created by the inner white painted shade and the reflection from the trumpet-shaped stem. The opal acrylic variants provides gentle illumination and subtle ambience due to the transparency and the reflection of the downward light on the inner side of the shade.





Verner Panton





Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Mounting

USB-C cable or Qi base for standard USB-C-A adapter. Light control: Switch on base. Battery lifetime: 5 hours @ 100%. Step-dim: 0%/10%/33%/100%

Finish

Opal acrylic shade in White, Pale Rose, and Pale Blue with matching stand. Grey Opal Acrylic shade with high lustre chrome stand. Pale Rose, Pale Blue or Coral, powder coated.

Materials

Shade: Deep-drawn steel or injection-molded opal acrylic. Base and housing: Die-cast aluminum.

Sizes and weight

Width x Height x Length (in.) | $6.3 \times 9.4 \times 6.3 \text{ Max } 0.9 \text{ lbs}$

Compliance

cULus, Damp location.

Light source

LED 2700K 2.5W Lumen: 81

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Related products







Panthella Floor

Panthella 400 Table Lamp

Panthella 250 Table Lamp








Panthella 320 Table Lamp

PH 2/1 Portable

Panthella 160 Portable Anniversary Edition



Light distribution diagrams



Spare parts & accessories

Product	Variant number
Panthella 160 USB adaptor, white	5744166674
Panthella Portable USB portable cover	5744166690
Panthella 160 V1 Rep. Kit LED w/wire	5744166713
Panthella 160 V1 replacement kit print V1	5744166726
Panthella 160 V2 Rep. Kit Print	5744166739
Panthella 160 White Opal shade	5744166742
Panthella 160 top nut	5744166755
Panthella 160 diffuser w/screws	5744168083
Panthella 160 Grey/Blue Opal shade	5744168096
Panthella 160 USB cover, black	5744168407
Black USB adaptor	5744168410
Panthella 160 Pale Blue shade	5744612665
Panthella 160 Coral shade	5744612678
Panthella 160 V2 Rubber Pad w/screws	5744612762
Panthella 160 Pale Rose shade	5744902090
Panthella 160 V2 Rep. Kit LED	5744168106
Panthella 160 Portable V2 Batt. Rep. Kit	5744620039
Panthella 160 V1 Portable V1 Batt. Rep. Kit	5744620042
Panthella 160 Pale Rose Opal shade	5744613046
Panthella 160 Portable Brass Metallised top nut	5744171274

Data specifications

Colour	Pale blue	Length	6.3
Width	6.3	Height	9.4
Built-in Height	-	IP class	44
Class	-	Net Weight	0.9
Standby (W)	- -	Power Factor (P = 100 % / P = 5	50 %) -
Inrush Current	-	Light source	LED 2700K 2.5W
Kelvin	2700	CRI	90
SDCM	3	Lumen	81
Watt	2.5	Efficacy	32
Light control	-	Min. Dim Level (%)	33
UGR Transversal / Axial	11.8/11.8	L80B50 (hours)	>35.000

Project name: / Project type: /

PANTHELLA 160 PORTABLE

LED 2700K 2.5W / Coral / Without cord / - / - / 5744612623

This portable table lamp emits a glare-free, soft, and comfortable light. The metal shade variants reflects the light downwards and provides pleasant illumination created by the inner white painted shade and the reflection from the trumpet-shaped stem. The opal acrylic variants provides gentle illumination and subtle ambience due to the transparency and the reflection of the downward light on the inner side of the shade.





Verner Panton

Verner Panton (1926-1998) is famous for his inspirational and colorful personality. A unique person with a special sense for color, shape, light function and space. Over the course of his career, Panton introduced a series of modern lamps with personalities unlike any of his Scandinavian contemporaries.





Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Mounting

USB-C cable or Qi base for standard USB-C-A adapter. Light control: Switch on base. Battery lifetime: 5 hours @ 100%. Step-dim: 0%/10%/33%/100%

Finish

Opal acrylic shade in White, Pale Rose, and Pale Blue with matching stand. Grey Opal Acrylic shade with high lustre chrome stand. Pale Rose, Pale Blue or Coral, powder coated.

Materials

Shade: Deep-drawn steel or injection-molded opal acrylic. Base and housing: Die-cast aluminum.

Sizes and weight

Width x Height x Length (in.) | $6.3 \times 9.4 \times 6.3 \text{ Max } 0.9 \text{ lbs}$

Compliance

cULus, Damp location.

Light source

LED 2700K 2.5W Lumen: 81

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Related products







Panthella Floor

Panthella 400 Table Lamp

Panthella 250 Table Lamp








Panthella 320 Table Lamp

PH 2/1 Portable

Panthella 160 Portable Anniversary Edition



Light distribution diagrams



Spare parts & accessories

Product	Variant number
Panthella 160 USB adaptor, white	5744166674
Panthella Portable USB portable cover	5744166690
Panthella 160 V1 Rep. Kit LED w/wire	5744166713
Panthella 160 V1 replacement kit print V1	5744166726
Panthella 160 V2 Rep. Kit Print	5744166739
Panthella 160 White Opal shade	5744166742
Panthella 160 top nut	5744166755
Panthella 160 diffuser w/screws	5744168083
Panthella 160 Grey/Blue Opal shade	5744168096
Panthella 160 USB cover, black	5744168407
Black USB adaptor	5744168410
Panthella 160 Pale Blue shade	5744612665
Panthella 160 Coral shade	5744612678
Panthella 160 V2 Rubber Pad w/screws	5744612762
Panthella 160 Pale Rose shade	5744902090
Panthella 160 V2 Rep. Kit LED	5744168106
Panthella 160 Portable V2 Batt. Rep. Kit	5744620039
Panthella 160 V1 Portable V1 Batt. Rep. Kit	5744620042
Panthella 160 Pale Rose Opal shade	5744613046
Panthella 160 Portable Brass Metallised top nut	5744171274

Data specifications

Colour	Coral	Length	6.3
Width	6.3	Height	9.4
Built-in Height	-	IP class	44
Class	-	Net Weight	0.9
Standby (W)	-	Power Factor (P = 100 % / P =	50 %)
Inrush Current	-	Light source	LED 2700K 2.5W
Kelvin	2700	CRI	90
SDCM	3	Lumen	81
Watt	2.5	Efficacy	32
Light control	-	Min. Dim Level (%)	33
UGR Transversal / Axial	11.8/11.8	L80B50 (hours)	>35.000

Project name: / Project type: /

PANTHELLA 160 PORTABLE

LED 2700K 2.5W / Pale rose opal acryl / Without cord / - / - / 5744612830

This portable table lamp emits a glare-free, soft, and comfortable light. The metal shade variants reflects the light downwards and provides pleasant illumination created by the inner white painted shade and the reflection from the trumpet-shaped stem. The opal acrylic variants provides gentle illumination and subtle ambience due to the transparency and the reflection of the downward light on the inner side of the shade.





Verner Panton

Verner Panton (1926-1998) is famous for his inspirational and colorful personality. A unique person with a special sense for color, shape, light function and space. Over the course of his career, Panton introduced a series of modern lamps with personalities unlike any of his Scandinavian contemporaries.





Environmental Product Specification

This product is compliant with the requirements contained in the European Directives. RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Mounting

USB-C cable or Qi base for standard USB-C-A adapter. Light control: Switch on base. Battery lifetime: 5 hours @ 100%. Step-dim: 0%/10%/33%/100%

Finish

Opal acrylic shade in White, Pale Rose, and Pale Blue with matching stand. Grey Opal Acrylic shade with high lustre chrome stand. Pale Rose, Pale Blue or Coral, powder coated.

Materials

Shade: Deep-drawn steel or injection-molded opal acrylic. Base and housing: Die-cast aluminum.

Sizes and weight

Width x Height x Length (in.) | $6.3 \times 9.4 \times 6.3 \text{ Max } 0.9 \text{ lbs}$

Compliance

cULus, Damp location.

Light source

LED 2700K 2.5W

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Related products



Panthella Floor



Panthella 400 Table Lamp



Panthella 250 Table Lamp







PH 2/1 Portable



Panthella 160 Portable Anniversary Edition

Ø 6.3"

Spare parts & accessories

Parthella 160 USB adaptor, white 574166674 Parthella Portable USB portable cover 574166690 Parthella 160 VI Rep., Kit LED w.Wire 574166713 Parthella 160 VI Rep., Kit LED w.Wire 574166726 Parthella 160 VI replacement kit print VI 574166739 Parthella 160 VSR pe, Kit Print 574166739 Parthella 160 Will be Opal shade 574166755 Parthella 160 diffuser w.screws 5744168033 Parthella 160 Grey/Blue Opal shade 5744168096 Parthella 160 USB cover, black 5744168407 Black USB adaptor 5744168040 Parthella 160 Coral shade 5744162685 Parthella 160 VZ Rubber Pad w.screws 574416278 Parthella 160 VZ Rubber Pad w.screws 574402080 Parthella 160 VZ Rubber Pad w.screws 574402080 Parthella 160 VZ Rubber Pad w.screws 5744620089 Parthella 160 VZ Rubber Pad w.screws 57446200089 Parthella 160 VZ Rubber Pad w.screws 57446200089 Parthella 160 VZ Rubber Rep. Kit 57446200089 Parthella 160 Portable VZ Batt. Rep. Kit 57446200042 Parthella 160 Portable Brass Metallised top nut	Product	Variant number
Parthella 160 V1 Rep. Kit LED wwire 574166713 Parthella 160 V1 replacement kit print V1 5744166726 Parthella 160 V2 Rep. Kit Print 5744166739 Parthella 160 White Opal shade 5744166742 Parthella 160 top nut 5744166755 Parthella 160 diffuser w/screws 5744168083 Parthella 160 USB cover, black 5744168096 Parthella 160 USB cover, black 5744168407 Black USB adaptor 5744168410 Parthella 160 Pale Blue shade 5744612678 Parthella 160 V2 Rubber Pad w/screws 5744612678 Parthella 160 V2 Rubber Pad w/screws 5744612678 Parthella 160 V2 Rep. Kit LED 5744168106 Parthella 160 V2 Rep. Kit LED 5744620039 Parthella 160 V2 Rep. Kit LEp. Kit 5744620042 Parthella 160 V1 Portable V1 Batt. Rep. Kit 5744620042 Parthella 160 V1 Portable V1 Batt. Rep. Kit 5744620042	Panthella 160 USB adaptor, white	5744166674
Parthella 160 V1 replacement kit print V1 5744166726 Parthella 160 V2 Rep. Kit Print 5744166739 Parthella 160 White Opal shade 5744166742 Parthella 160 top nut 5744166755 Parthella 160 diffuser w/screws 5744168083 Parthella 160 Grey/Blue Opal shade 5744168096 Parthella 160 USB cover, black 5744168407 Black USB adaptor 5744168410 Parthella 160 Pale Blue shade 574416265 Parthella 160 Coral shade 5744612678 Parthella 160 V2 Rubber Pad w/screws 574462008 Parthella 160 V2 Rep. Kit LED 5744168106 Parthella 160 V2 Rep. Kit LED 5744620039 Parthella 160 V1 Portable V1 Batt. Rep. Kit 5744620042 Parthella 160 V1 Portable V1 Batt. Rep. Kit 5744620042	Panthella Portable USB portable cover	5744166690
Panthella 160 V2 Rep. Kit Print 5744166739 Panthella 160 White Opal shade 5744166742 Panthella 160 top nut 5744166755 Panthella 160 diffuser w/screws 5744168083 Panthella 160 Grey/Blue Opal shade 5744168096 Panthella 160 USB cover, black 5744168407 Black USB adaptor 5744168410 Panthella 160 Pale Blue shade 5744162665 Parthella 160 Coral shade 5744612678 Panthella 160 V2 Rubber Pad w/screws 5744612762 Panthella 160 V2 Rep. Kit LED 5744168106 Panthella 160 V2 Rep. Kit LED 574462009 Panthella 160 V1 Portable V2 Batt. Rep. Kit 574462003 Panthella 160 V1 Portable V1 Batt. Rep. Kit 574462004 Panthella 160 V1 Portable V1 Batt. Rep. Kit 574462004	Panthella 160 V1 Rep. Kit LED w/wire	5744166713
Parthella 160 White Opal shade 5744166742 Parthella 160 top nut 5744166755 Parthella 160 diffuser w/screws 5744168083 Parthella 160 Grey/Blue Opal shade 5744168096 Parthella 160 USB cover, black 5744168407 Black USB adaptor 5744168410 Parthella 160 Pale Blue shade 5744612665 Parthella 160 Coral shade 5744612678 Parthella 160 V2 Rubber Pad w/screws 5744612762 Parthella 160 Pale Rose shade 5744902090 Parthella 160 V2 Rep. Kit LED 5744620039 Parthella 160 V1 Portable V2 Batt. Rep. Kit 5744620042 Parthella 160 Pale Rose Opal shade 5744620042	Panthella 160 V1 replacement kit print V1	5744166726
Panthella 160 top nut 5744166755 Panthella 160 diffuser w/screws 5744168083 Panthella 160 Grey/Blue Opal shade 5744168096 Panthella 160 USB cover, black 5744168407 Black USB adaptor 5744168410 Panthella 160 Pale Blue shade 5744612665 Panthella 160 Coral shade 5744612762 Panthella 160 V2 Rubber Pad w/screws 5744612762 Panthella 160 Pale Rose shade 5744620090 Panthella 160 Portable V2 Batt. Rep. Kit 5744620039 Panthella 160 V1 Portable V1 Batt. Rep. Kit 5744620042 Panthella 160 Pale Rose Opal shade 574463046	Panthella 160 V2 Rep. Kit Print	5744166739
Panthella 160 diffuser w/screws 5744168083 Panthella 160 Grey/Blue Opal shade 5744168096 Panthella 160 USB cover, black 5744168407 Black USB adaptor 5744168410 Panthella 160 Pale Blue shade 5744612665 Panthella 160 Coral shade 5744612678 Panthella 160 V2 Rubber Pad w/screws 5744612762 Panthella 160 Pale Rose shade 574462009 Panthella 160 V2 Rep. Kit LED 5744620039 Panthella 160 V1 Portable V1 Batt. Rep. Kit 5744620042 Panthella 160 Pale Rose Opal shade 574463046	Panthella 160 White Opal shade	5744166742
Panthella 160 Grey/Blue Opal shade 5744168096 Panthella 160 USB cover, black 5744168407 Black USB adaptor 5744168410 Panthella 160 Pale Blue shade 5744612665 Panthella 160 Coral shade 5744612678 Panthella 160 V2 Rubber Pad w/screws 5744612762 Panthella 160 Pale Rose shade 574490290 Panthella 160 V2 Rep. Kit LED 5744620039 Panthella 160 V1 Portable V2 Batt. Rep. Kit 5744620042 Panthella 160 V2 Rose Opal shade 574463046	Panthella 160 top nut	5744166755
Parthella 160 USB cover, black 5744168407 Black USB adaptor 5744168410 Parthella 160 Pale Blue shade 5744612665 Parthella 160 Coral shade 5744612678 Parthella 160 V2 Rubber Pad w/screws 5744612762 Parthella 160 Pale Rose shade 5744902090 Parthella 160 V2 Rep. Kit LED 5744168106 Parthella 160 Portable V2 Batt. Rep. Kit 5744620039 Parthella 160 V1 Portable V1 Batt. Rep. Kit 5744620042 Parthella 160 Pale Rose Opal shade 5744610046	Panthella 160 diffuser w/screws	5744168083
Black USB adaptor 5744168410 Panthella 160 Pale Blue shade 5744612665 Panthella 160 Coral shade 5744612678 Panthella 160 V2 Rubber Pad w/screws 5744612762 Panthella 160 Pale Rose shade 5744902090 Panthella 160 V2 Rep. Kit LED 5744168106 Panthella 160 Portable V2 Batt. Rep. Kit 5744620039 Panthella 160 V1 Portable V1 Batt. Rep. Kit 5744620042 Panthella 160 Pale Rose Opal shade 5744613046	Panthella 160 Grey/Blue Opal shade	5744168096
Panthella 160 Pale Blue shade 5744612665 Panthella 160 Coral shade 5744612678 Panthella 160 V2 Rubber Pad w/screws 5744612762 Panthella 160 Pale Rose shade 5744902090 Panthella 160 V2 Rep. Kit LED 5744168106 Panthella 160 Portable V2 Batt. Rep. Kit 5744620039 Panthella 160 V1 Portable V1 Batt. Rep. Kit 5744620042 Panthella 160 Pale Rose Opal shade 5744613046	Panthella 160 USB cover, black	5744168407
Panthella 160 Coral shade Panthella 160 V2 Rubber Pad w/screws 574461262 Panthella 160 Pale Rose shade Panthella 160 V2 Rep. Kit LED Panthella 160 Portable V2 Batt. Rep. Kit Panthella 160 V1 Portable V1 Batt. Rep. Kit Panthella 160 Pale Rose Opal shade 5744620042	Black USB adaptor	5744168410
Panthella 160 V2 Rubber Pad w/screws 5744612762 Panthella 160 Pale Rose shade 5744902090 Panthella 160 V2 Rep. Kit LED 5744168106 Panthella 160 Portable V2 Batt. Rep. Kit 5744620039 Panthella 160 V1 Portable V1 Batt. Rep. Kit 5744620042 Panthella 160 Pale Rose Opal shade 5744613046	Panthella 160 Pale Blue shade	5744612665
Panthella 160 Pale Rose shade 5744902090 Panthella 160 V2 Rep. Kit LED 5744168106 Panthella 160 Portable V2 Batt. Rep. Kit 5744620039 Panthella 160 V1 Portable V1 Batt. Rep. Kit 5744620042 Panthella 160 Pale Rose Opal shade 5744613046	Panthella 160 Coral shade	5744612678
Panthella 160 V2 Rep. Kit LED 5744168106 Panthella 160 Portable V2 Batt. Rep. Kit 5744620039 Panthella 160 V1 Portable V1 Batt. Rep. Kit 5744620042 Panthella 160 Pale Rose Opal shade 5744613046	Panthella 160 V2 Rubber Pad w/screws	5744612762
Panthella 160 Portable V2 Batt. Rep. Kit 5744620039 Panthella 160 V1 Portable V1 Batt. Rep. Kit 5744620042 Panthella 160 Pale Rose Opal shade 5744613046	Panthella 160 Pale Rose shade	5744902090
Panthella 160 V1 Portable V1 Batt. Rep. Kit 5744620042 Panthella 160 Pale Rose Opal shade 5744613046	Panthella 160 V2 Rep. Kit LED	5744168106
Panthella 160 Pale Rose Opal shade 5744613046	Panthella 160 Portable V2 Batt. Rep. Kit	5744620039
	Panthella 160 V1 Portable V1 Batt. Rep. Kit	5744620042
Panthella 160 Portable Brass Metallised top nut 5744171274	Panthella 160 Pale Rose Opal shade	5744613046
	Panthella 160 Portable Brass Metallised top nut	5744171274

Data specifications

Colour	Pale rose opal acryl	Length	-
Width	-	Height	-
Built-in Height	-	IP class	-
Class	-	Net Weight	0.9
Standby (W)	-	Power Factor (P = 100 % / P = 50 %)	-
Inrush Current	-	Light source	LED 2700K 2.5W
Kelvin	2700	CRI	-

SDCM	-
Watt	2.5
Light control	-
UGR Transversal / Axial	-
Driver life	-

Lumen	-
Efficacy	-
Min. Dim Level (%)	-
L80B50 (hours)	-

Project name: / Project type: /

PANTHELLA 160 PORTABLE

This portable table lamp emits a glare-free, soft, and comfortable light. The metal shade variants reflects the light downwards and provides pleasant illumination created by the inner white painted shade and the reflection from the trumpet-shaped stem. The opal acrylic variants provides gentle illumination and subtle ambience due to the transparency and the reflection of the downward light on the inner side of the shade.





Verner Panton

Vemer Panton (1926-1998) is famous for his inspirational and colorful personality. A unique person with a special sense for color, shape, light function and space. Over the course of his career, Panton introduced a series of modern lamps with personalities unlike any of his Scandinavian contemporaries.





louis poulsen

Design to Shape Light

Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Mounting

USB-C cable or Qi base for standard USB-C-A adapter. Light control: Switch on base. Battery lifetime: 5 hours @ 100%. Step-dim: 0%/10%/33%/100%

Finish

Opal acrylic shade in White, Pale Rose, and Pale Blue with matching stand. Grey Opal Acrylic shade with high lustre chrome stand. Pale Rose, Pale Blue or Coral, powder coated.

Materials

Shade: Deep-drawn steel or injection-molded opal acrylic. Base and housing: Die-cast aluminum.

Sizes and weight

Width x Height x Length (in.) | $6.3 \times 9.4 \times 6.3 \text{ Max } 0.9 \text{ lbs}$

Compliance

cULus, Damp location.

Light source

LED 2700K 2.5W Lumen: 81

Information

Please note that Panthella Portable comes with a USB cable but without an adapter and QI charger. A separate USB adapter is available as an accessory. Compatible with standard USB adapters (Min. 1.5A) and QI wireless chargers.

Related products





Panthella Floor

Panthella 400 Table Lamp

Panthella 250 Table Lamp







Panthella 320 Table Lamp

PH 2/1 Portable

Panthella 160 Portable Anniversary Edition

Ø 6.3"

Ø 4.2"

Product variants

Color	Light source	Lumen
Black	LED 2700K 2.5W	-
Coral		81
Grey opal acryl		
Orange		
Pale blue		
Pale blue opal acryl		
Pale rose		
Pale rose opal acryl		
○ White		
White opal acryl		

Design

Verner Panton

Weight


Min: 0.882 lbs Max: 0.882 lbs


Finish


Black, Coral, Grey opal acryl, Orange, Pale blue, Pale blue opal acryl, Pale rose, Pale rose opal acryl, White, White opal acryl

Light distribution diagrams









Spare parts & accessories

Product	Variant number
Panthella 160 USB adaptor, white	5744166674
Panthella Portable USB portable cover	5744166690
Panthella 160 V1 Rep. Kit LED w/wire	5744166713
Panthella 160 V1 replacement kit print V1	5744166726
Panthella 160 V2 Rep. Kit Print	5744166739
Panthella 160 White Opal shade	5744166742
Panthella 160 top nut	5744166755
Panthella 160 diffuser w/screws	5744168083
Panthella 160 Grey/Blue Opal shade	5744168096
Panthella 160 USB cover, black	5744168407
Black USB adaptor	5744168410
Panthella 160 Pale Blue shade	5744612665
Panthella 160 Coral shade	5744612678
Panthella 160 V2 Rubber Pad w/screws	5744612762
Panthella 160 Pale Rose shade	5744902090
Panthella 160 V2 Rep. Kit LED	5744168106
Panthella 160 Portable V2 Batt. Rep. Kit	5744620039
Panthella 160 V1 Portable V1 Batt. Rep. Kit	5744620042
Panthella 160 Pale Rose Opal shade	5744613046
Panthella 160 Portable Brass Metallised top nut	5744171274