

## Lámina Dorada 45

Antoni Arola. 2023  
Floor Lamp

  
SANTA & COLE



The elegance of Lamina's shades captivates, soon pleased by its efficacy. Simple, clean lines laid bare and fully exposed. Reflection provides more nuanced results than direct light. Sober, supporting, contrasting and without glare.

### General description:

Metallic flat shade with gold finish.  
Black metal structure with matte finish.  
Polycarbonate diffuser.  
Dimmer and switch incorporated into the luminaire.  
Electric cable length: 2,5 m / 98.4"

### Approximate weight (unpacked):

4,9 Kg / 11 lb


### Technical information:

Light source included (dimmable)  
Built-In LED

Rated input wattage: 11 W  
Operating current: 500 mA  
CCT: 2700K  
CRI: 90  
Lifetime: 40.000 h  
Luminous flux: 245 lm

Built-in LED.  
Suitable only for indoor use.  
Always use this light source.

Input voltage: 110 ~ 277 Vac.  
(50 Hz / 60 Hz). According to destination.



### Regulations:

European version  
UNE-EN 60598  
UNE-EN 55015  
UNE-EN 60529

American version  
UL-1598  
UL-8750  
E-3363621  
Dry location only

## Lámina Dorada 45

Antoni Arola. 2023  
Floor Lamp


### Maintenance:

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

### Others:

The lamp is delivered in one package.  
The assembly instructions are delivered with the product.

### Model:



### Collection:

Table lamps

Floor lamps

Pendant lamps

Wall lamps



Lámina Dorada 45



Lámina Dorada 45




Lámina Dorada 45



Lámina Dorada 45


## Lámina Dorada 45

Antoni Arola. 2018  
Pendant Lamp

  
SANTA & COLE




Lámina Dorada 45




A

Sistema Lámina Dorada 45  
2 modules




B

Sistema Lámina Dorada 45  
3 modules



C

Sistema Lámina Dorada 45  
4 modules



D



In its golden version, Lámina redefines its reflection game by flattening its arc and changing the colour of its lampshade, generating new concavities that are visible to the eye. A variation with totemic evocations that illuminates with surprising quality.

### General description:

Metallic flat shade with gold finish.  
Black metal structure with matte finish.  
Polycarbonate diffuser.  
Electric cable length: 5 m / 196.9"

### Approximate weight (unpacked):

(A) Lámina Dorada 45: 2,1 Kg / 4.6 lb  
(B) Sistema Lámina Dorada 45 - 2 modules: 4 Kg / 8.8 lb  
(C) Sistema Lámina Dorada 45 - 3 modules: 7 Kg / 15.4 lb  
(D) Sistema Lámina Dorada 45 - 4 modules: 10 kg / 22 lb

### Technical information:

Light source included (dimmable).

(A) LED module  
Rated input wattage: 18 W  
Operating current: 750 mA  
Luminous flux: 368 lm

(B) LED module  
Rated input wattage: 31 W  
Operating current: 750 mA  
Luminous flux: 736 lm

(C) LED module  
Rated input wattage: 49 W  
Operating current: 750 mA  
Luminous flux: 1104 lm


(D) LED module  
Rated input wattage: 67 W  
Operating current: 750 mA  
Luminous flux: 1472 lm

CCT: 2.700K  
CRI: 90  
Lifetime: 40.000 h

Built-in LED.  
European version: suitable for dimming  
0-10V / DALI. Not included external dimmer  
switch 0-10V / DALI.  
American version: suitable for dimming  
1-10V. Not included external dimmer switch  
1-10V.

Suitable only for indoor use.  
Always use this light source.

Input voltage: 100 ~ 277 Vac.  
(50 Hz / 60 Hz). According to destination.



# Lámina Dorada 45

Antoni Arola. 2018  
Pendant Lamp

## Normativas:

European version  
UNE-EN 60598  
UNE-EN 55015  
UNE-EN 60529

## American version

UL-1598  
UL-8750  
E-336377  
Dry location only


## Maintenance:

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.


## Others:

The lamp is delivered in different packages (**B, C, D**).  
The assembly instructions are delivered with the product.



### Model A: Lámina Dorada 45



### Model B: Sistema Lámina Dorada 45 2 módulos



CE



UL US

## Lámina Dorada 45

Antoni Arola. 2023  
Table Lamp

  
SANTA & COLE



In its flat and golden version, Lámina preserves the delicacy of its line through a new reflection game, very suggestive for tabletops. Simple, clean shapes laid bare and fully exposed. A visual break found no matter in which corner it is placed.

### General description:

Metallic flat shade with gold finish.  
Black metal structure with matte finish.  
Polycarbonate diffuser.  
Dimmer and switch incorporated into the luminaire.  
Electric cable length: 2,25 m / 88.6"

### Approximate weight (unpacked):

2,7 Kg / 6 lb


### Technical information:

Light source included (dimmable)  
LED strip

Rated input wattage: 11 W  
Operating current: 500 mA  
CCT: 2700K  
CRI: 90  
Lifetime: 40.000 h  
Luminous flux: 245 lm

Built-in LED.  
Suitable only for indoor use.  
Always use this light source.

Input voltage: 120 ~ 277 Vac.  
(50 Hz / 60 Hz). According to destination.



### Regulations:

European version  
UNE-EN 60598  
UNE-EN 55015  
UNE-EN 60529

American version  
UL-1598  
UL-8750  
E-336377  
Dry location only

## Lámina Dorada 45

Antoni Arola. 2023  
Table Lamp


### Maintenance:

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

### Others:

The lamp is delivered in one package..  
The assembly instructions are delivered with the product.

### Model:



### Collection:

Table lamps



Lámina Dorada 45

Floor lamps



Lámina Dorada 45

Pendant lamps




Lámina Dorada 45

Wall lamps



Lámina Dorada 45

## Lámina Dorada 45

Antoni Arola. 2023  
Aplicado



Los apliques de Lámina a las paredes ofrecen una luz general y matizada. Tanto en vertical como en horizontal, la luz rebotada abre el espacio a profundidades nuevas.

### Descripción general:

Pantalla metálica plana dorada.  
Estructura metálica acabada en color negro mate.  
Difusor de policarbonato.

### Peso aproximado (sin embalaje):

1,5 Kg / 3.3 lb

### Información técnica:

Incluye fuente de luz regulable.  
LED integrado

Potencia sistema: 11 W  
Intensidad de funcionamiento: 500 mA  
CCT: 2.700K  
CRI: 90  
Vida útil: 40.000 h  
Flujo luminaria: 245 lm


LED regulable integrado.  
Versión europea: apta para regulación 0-10V / DALI. No incluye regulador externo 0-10V / DALI.  
Versión americana: apta para regulación 1-10V. No incluye regulador externo 1-10V.  
Apta solo para uso interior.  
Utilice siempre esta fuente de luz.

Tensión de entrada: 110 ~ 277 Vac.  
(50 Hz / 60 Hz). Según destino.

### Normativas:

Versión europea  
UNE-EN 60598  
UNE-EN 55015  
UNE-EN 60529

Versión americana  
UL-1598  
UL-8750  
E-336377  
Dry location only



# Lámina Dorada 45

Antoni Arola. 2023  
Aplicado


## Mantenimiento:

Limpiar con un paño suave. No utilizar productos amoniacales, disolventes o abrasivos.


## Otros:

La lámpara se entrega en un solo embalaje.  
Junto al producto se entregan las instrucciones de montaje.

### Modelo (versión europea):



### Modelo (versión americana):



## Colección:

Lámparas de  
sobremesa



Lámina Dorada 45

Lámparas de pie



Lámina Dorada 45

Lámparas de  
suspensión




Lámina Dorada 45

Aplicados



Lámina Dorada 45




## Lámina Dorada 45


Antoni Arola. 2018  
Pendant Lamp

### Examples of composition

#### 3 modules (A + B)



#### 4 modules (A + 2B)



### Collection:

Table lamps

Floor lamps

Pendant lamps

Wall lamps



Lámina Dorada 45



Lámina Dorada 45




Lámina Dorada 45



Lámina Dorada 45